

Kongeriget Danmark

Patent application No.: PA 2002 02009

Date of filing: 27 December 2002

Applicant: NeuroLogic
(Name and address) v/Jens Christian H. Sørensen
Søtoften 43
DK-8250 Egå
Denmark

Title: A Device for Localisation of stereotactic coordinates

IPC: -

This is to certify that the attached documents are exact copies of the above mentioned patent application as originally filed.



Patent- og Varemærkestyrelsen
Økonomi- og Erhvervsministeriet

12 March 2004

Mette Børker Nielsen

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

Modtaget PVS

27 DEC. 2002

Århus, den 27. december 2002

**DANSK
PATENTANSØGNING**

Titel:

DEVICE FOR LOCALISATION OF STEREOTACTIC COORDINATES

Ansøger:

**NeuroLogic
Søtoften 43
8250 Egå**

Opfindere:

**Jens Christian Hedemann Sørensen
Graziano Cancian**

Patentgruppens Ref. nr.:

P 02 162 DK

**Patentgruppen ApS
Artegården
Aaboulevarden 31
DK - 8000 Aarhus C
Denmark
Tel.: +45 86 19 20 00
Fax: +45 86 19 91 91
patent@patentgruppen.dk**

Modtaget PVS

1

2 / ucl. 2002

DEVICE FOR LOCALISATION OF STEREOTACTIC COORDINATES

The present invention relates to a fiducial marker instrument for identifying the spatial position of a region of interest in an individual's skull, which is to be subjected to stereotactic procedures. The position of the region of interest being determined, for example by means of MRI, CT, PET, or X-ray equipment. The instrument comprising a box of nonmagnetic, radio lucent material with embedded fiducial markers attach to a non-yielding stereotactic frame. The stereotactic frame is arranged to be supported by the individual's skull and to support an indicating device and/ or a treatment instrument, and fixing means, which are displaceably attached to the frame and which are arranged to engage the skull for operative procedures.

In surgical operations on the skull, as well as in non-invasive (bloodless) treatment of the brain, such as radiation treatment or heat treatment, the possibility of identifying, with great accuracy, the position of the area(s) of the patient's skull which is/are to be treated is highly important. To minimise the risk of unnecessary brain damage arising as a result of the treatment, the surgeon must be sure of hitting, with reasonable accuracy, the region of interest, without having to make unnecessary passages through sensitive tissue.

20

The use of a skull fixed external fiducial marker system has been previously described.

The international patent application No. WO88/08282, which corresponds to US 5,116,344, discloses a stereotactical instrument according to the first paragraph of the description. This instrument is also described by Leksell and Jernberg 1980, and in the brochure "Leksell Micro-stereotactic System", from Elekta Instrument AB, to which reference is hereby made. It here appears that the spatial position of the area of interest, which is to be treated, is determined by means of angiogram, X-ray, PET, DSA, CT and/or MRI equipment, in relation to a box or cage construction with scales being used, for example, to obtain the coordinates of the treatment area in a

30

patient's skull. For this purpose, said construction is attached to a non-yielding frame, which in turn is fixed to the skull with the aid of fixing means, which are displaceably attached to the frame and arranged to penetrate the skin so as to be attached to the bone of the skull. US 4,350,159, US 4,341,220 and US 4,475,550
5 disclose similar principles with detachable fiducial members associated with a stereotactical instrument having a non-yielding frame and skull fixing means. GB 2,370,778 discloses a non-invasive stereotactical instrument based on the Leksell Micro-stereotactic System. US 4,617,925 discloses a non-invasive stereotactical instrument, which is attached to a patient's skull and fixed by means of earplugs and
10 a nose support. The patient can be fixed to an operating table or the like by means of a fixing device, which is connect to the instrument.

The known art applications all address treatment in human individuals. The human and primate skull has a spherical geometry as opposed to quadrupeds, which in
15 general has skulls with a cylindrical geometry.

The present invention therefore employs a known art animal stereotactic frame comprising a pair of bars held in spaced parallel relation to each other by a cross bar that can be fixed to an operating table or the like by means of a fixing device, which
20 is connect to the instrument. Such a frame is disclosed in US 3,841,148 and US 5,601,570.

By the invention, it is realised that by using the detachable box of nonmagnetic, radiolucent material with embedded fiducial markers, a number of advantages may
25 be achieved. The fiducial marker box, hereafter referred to as the box, allow for fixation of skulls with a spherical geometry to known art animal stereotactic frames comprising a pair of bars held in spaced parallel relation to each other by a cross bar.

An object of the present invention is to provide an external fiducial reference that can
30 be fixed to the skull of individuals with a cylindrical skull geometry. Furthermore, the invention is designed to be displaceably attached to a non-yielding stereotactic frame. The stereotactic frame is arranged to support an indicating devices and/ or a

treatment instruments and fixing means, which are arranged to engage the skull for operative procedures.

5 A further object of the invention is to provide a stereotactical instrument, which does not impede the performance of the treatment and which allows the individual to remain mobile relative to the stereotaxic frame.

10 Another object of the invention is to provide an external fiducial reference instrument, which is compatible with available MRI, CT, Pet and angiogram equipment and the like and which is easy to displace and replace in known art animal stereotactic frames comprised of a pair of bars held in spaced parallel relation to each other by a cross bar.

15 The invention concerns a device for localisation of stereotactic coordinates by available MRI, CT, Pet and angiogram imaging equipment in relation to known animal stereotactic frames comprised of a pair of bars held in spaced parallel relation to each other by a cross bar that can be fixed to an operating table or the like by means of a fixing device, which is connect to the instrument. The instrument can be detached from the stereotactic frame to allow for the imaging procedures. The
20 instrument is made of non-magnetic and radio lucent material allowing for the use of magnetic material and radio-opaque stereotactic frames in combination with available MRI, CT, Pet and angiogram imaging equipment.

In the following, the invention is described with reference to the drawings, in which:

- 25 fig. 1 is a perspective view of a device according to a preferred embodiment of the invention, and
fig. 2 is a perspective view of the device attached to a stereotactic frame.

30 Fig. 1 is a three-dimensional perspective view of the external fiducial reference instrument, which is made of a transparent and radiolucent material. The instrument consists of a top 7 and bottom 12. The two parts fit together with a ridge and groove 10 in the sides of the top 7 and bottom 12. No 5 show one embodiment of skull

4

fixation pins for attachment of the external fiducial reference instrument to the skull of the individual in question. No 6 show one embodiment of the nose fixation clamp. The hard palate of the individual fits over the plate 14 and the clamp 6 is lowered over the nose ridge. The screw 15 can fix the nose and hard palate of the individual to the plate 14. The top 7 can have an attachable side plate 8 made of a transparent and radio lucent material, according to the preferred embodiment of the invention. The side plate 8 comprises fiducial reference lines 9 and 11 so as to allow identification of the area of interest in available MRI, CT, Pet and angiogram equipment.

10

Fig. 2 is a three-dimensional perspective view of the external fiducial reference instrument attached to the stereotactic frame. The known art animal stereotactic frame comprised of a pair of bars 4 held in spaced parallel relation to each other by a cross bar 3 that can be fixed to an operating table 1 or the like by means of a fixing device 2, which is connected to the instrument as shown in US 3,841,148. The bottom 12, with the top 7 detached, will fit like a drawer under the parallel bars 4 of the stereotactic frame. The individual with the bottom 7 attached to the skull can accordingly be transferred from the stereotactic frame to available MRI, CT, Pet and angiogram equipment and back. When the individual is placed in available MRI, CT, Pet and angiogram equipment, the top 12 can be replaced on the bottom 7 and kept in place by the ridge and groove 10. A locking mechanism can be applied to keep the top 7 and bottom 12 fixed to each other in one embodiment of the invention.

25

Modtaget PVS

5

27 DEC. 2002

PATENT CLAIMS:

1. A device for localisation of stereotactic coordinates for identifying a spatial position of a region of interest in an individual's skull for the performance of stereotactic procedures, said device comprising a box of non-magnetic, radiolucent material with fiducial markers and that said device is attachable to a stereotactic frame.
5
2. A device according to claim 1, wherein said fiducial markers includes skull fixation pins protecting inwardly into the interior space of the box.
10
3. A device according to claim 1 or 2, wherein said box including at least one attachable side plate means made of translucent or transparent and radio lucent material.
15
4. A device according to claim 3, wherein said at least one side plate means further including fiducial reference lines allowing for identification of an area of interest.
5. A device according to any of the preceding claims, wherein said device comprising a nose fixation clamp.
20
6. A device according to any of the preceding claims, wherein said device being adapted to fit like a drawer under the stereotactic frame, when being attached thereto.

25

Modtaget PVS

27 DEC. 2002

ABSTRACT:

The invention concerns a device for localisation of stereotactic coordinates by available MRI, CT, Pet and angiogram imaging equipment in relation to known art


5 animal stereotactic frames comprised of a pair of bars held in spaced parallel relation to each other by a cross bar that can be fixed to an operating table or the like by means of a fixing device, which connect to the instrument. The instrument can be detached from the stereotactic frame to allow for the imaging procedures. The instrument is made of non-magnetic and radio lucent material allowing for the use of

10 magnetic material and radio-opaque stereotactic frames in combination with available MRI, CT, Pet and angiogram imaging equipment.

Modtaget PVS

27 DEC. 2002

Fig 1



Modtaget PVS

27 DEC. 2002

